



File Name: bose lifestyle 50 system manual.pdf

Size: 1823 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 8 May 2019, 18:53 PM

Rating: 4.6/5 from 622 votes.

Status: AVAILABLE

Last checked: 10 Minutes ago!

In order to read or download bose lifestyle 50 system manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with bose lifestyle 50 system manual . To get started finding bose lifestyle 50 system manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

bose lifestyle 50 system manual

Learn more or change settings here. Just type your request below Quick tip Try searching for just one or two words e.g., connection help. Use proper power sources Plug the product into a proper power source, as described in the operating Example of antenna grounding as per National Electrical instructions or as marked on the product. Years of research lie behind this complete audio home entertainment system the most advanced home theater system from Bose. Save all packing materials for possible future use. If any part of the product appears damaged, do not attempt to use the system. The center speaker cable allows up to 20 feet 6.1 m from the Acoustimass module. CD changer Select a convenient location for the CD changer. Figure Ridge. Most audio cables are color coded. Match red connectors to right R jacks and black or white connectors to left L jacks. A second option is to use a stereo TV as the switching center to select the sound source. Untie and straighten the bundled wires on each antenna. Antennas provide better reception when their wires are fully extended. Then plug in the multiroom interface power pack. Note Your speakers will not operate unless you complete all cable and power connections before turning on the system. CAUTION Be sure the three shipping screws on the bottom of the CD changer have been removed before turning on the system. The center is portable, communicating with the rest of the system through a twoway radiofrequency link. The display is backlit for easy viewing, and provides visual feedback of current system operations and available options. The display offers different combinations of buttons to provide control of the function you are using. Sometimes an item on the display will flash to provide information about a system function. When an item flashes faster, it is alerting you to a needed action. Menu items are available in the list if they are applicable to the current state of the system. <http://www.gewidor.de/uploads/concours-14-owners-manual.xml>

- **bose lifestyle 50 system manual, bose lifestyle 50 system manual pdf, bose lifestyle 50 system manual download, bose lifestyle 50 system manual free, bose lifestyle 50 system manual instructions, bose lifestyle 650 system manual.**

You experience a surround sensation, providing extra enjoyment when you watch older, prestereo movies. Digital Dynamic Range compression is initially disengaged for all sound sources. Enhanced mode The mode is When you select To change this Press the FILM BASS button. VIDEO 1, VIDEO 2 Enhanced FILM BASS on Press the FILM BASS button. If you experience difficulty tuning to a weak AM station, you can force the AM tuner to use a narrow bandwidth filter to eliminate interference from other stations. To force the tuner to use a narrow bandwidth filter, press and hold the center of the station display until you hear a lowpitched beep. To set a preset station 1. Select the AM or FM source. 2. Press the MENU button once to access the PRESETS menu Figure 29. 3. Loading discs into the CD magazine To load the CD magazine, hold it as shown in Figure 31. Insert up to six discs, label side up. If the system is off, this turns it on at the same time. When you press CD, the CD changer display Figure 33 appears on the display. To access the CD OPTIONS, press the MENU button until CD OPTIONS is displayed Figure 35. You can do this while a CD plays if you wish. Figure 35 CD options display DONE. You can create or edit a CD play list even while listening to another source. However, you cant edit the play list while the list is playing. If the ITEM field indicates FULL, you cant insert a new item unless you delete one or more items from the list. 2. Select the ITEM number of the location where you want to insert a new CD selection. The ITEM number should not be flashing. Turn on your component directly or by using its remote control. Control all other functions at the source, referring to its owners manual if necessary. For example, you can adjust the gain level of an external source so that volume level 50 on this source sounds as

loud as level 50 from a builtin source. <http://www.laps.pl/userfiles/concorde-rg-390e-manual.xml>

You can change the behavior of these buttons so that they remain in the state you last set them on or off screen using the SOURCE button. 1. To adjust this time 1. Press and hold the SOURCE button until Lcd appears. 2. If you have questions or need extension cables to complete the connections, call Bose Customer Service at the numbers listed on the back inside cover of this owners guide. Each time you press the ROOM button you can transfer control from one room to the next in ABCD order. The room indicators on the display tell you what is currently selected. When you press the HOUSE button, an empty box indicator is displayed for each connected room. Any button pressed after that any source button, VOLUME, MUTE, or SLEEP affects every room. When you are done listening you can press OFF to turn off the entire system. The volume drops in any rooms that are on and any music center within range of the multiroom interface eventually begins beeping and flashing. For information on replacing the batteries see page 17. CAUTION Do not use any spray cleaners near the system. Do not use any solvents, chemicals, or cleaning solutions containing alcohol, ammonia, or abrasives. Details of the warranty are provided on the warranty card that came with your system. Please fill out the information section on the card and mail it to Bose. Or call Bose directly see inside back cover for phone numbers. October 17, 2001 AM18985405 V.pdf. CAUTION TO REDUCE THE RISK OF ELECTRIC SHOCK, These CAUTION marks may be located on the bottoms of your Lifestyle center, Acoustimass CAUTION To prevent electric shock, match wide blade of plug to wide slot, insert fully. Opening or removing covers may expose you to dangerous voltages or other hazards. Please call Bose to be referred to an authorized service center near you. 15. To prevent risk of fire or electric shock, avoid overloading wall outlets, extension cords, or integral convenience receptacles.

Realism and impact Your Lifestyle signal processing. Save all packing materials for possible future use. The original packing materials provide the safest way to transport your Lifestyle the product appears damaged, do not attempt to use the system. Notify Bose authorized Bose dealer immediately. Place them in the back half of your room. The surround cables allow up to 50 feet 15.2 m from the Acoustimass module. 1. Place the speakers at ear height or higher, if possible. Use a femaletofemale adapter "barrel" connector. Or, splice in 18gauge .75 mm wire, see your dealer or electronics store, or call Bose Figure 7 Ridge. See Figures 1 and 10. Dual voltage models include both the PS71 and PS72 power packs. CAUTION Be sure to use the correct Bose may damage your power pack or your system. Do not connect any speakers to the TV. SAP. They prevent proper surround sound processing through your Lifestyle Digital audio output. Do not connect any speakers to the TV. SAP. Experiment with the orientation of the loop for optimum AM reception. Note Your speakers will not operate unless you complete all cable and power connections before turning on the system. CAUTION Be sure the three shipping screws on the bottom of the CD changer have been removed before turning on the system. Press the FILM BASS button. Not applicable. You cannot select enhanced mode for CD, AM or FM. Select the channel spacing most appropriate for your area. The message CHANGING is displayed until play begins. When the list has 50 programmed items, the STORE button disappears. 6. When you have completed your play list, press DONE to exit. If you have questions or need extension cables to complete the connections, call Bose Customer Service at the numbers listed on the back inside cover of this owner's guide. Press the FM source button and adjust, or . Control that room as desired. Turn off the entire system. As batteries get weaker, the message flashes faster and display timeouts become shorter.

<http://www.drupalitalia.org/node/78605>

If liquids accidentally get into any system component, turn the system off and allow it to air dry. Then turn it on again. If you notice any problems with its functioning, turn it off and contact Bose Service. Note The music center establishes a link with the closest multiroom interface. Customer Service For additional help in solving problems, contact Bose Customer Service. See the inside back cover for

Bose Customer Service offices and phone numbers. Using the online preview, you can quickly view the contents and go to the page where you will find the solution to your problem with Bose Lifestyle 50. To start viewing the user manual Bose Lifestyle 50 on full screen, use the button Fullscreen. However, if you do not want to take up too much of your disk space, you can always download it in the future from ManualsBase. The option to print the manual has also been provided, and you can use it by clicking the link above Print the manual. You do not have to print the entire manual Bose Lifestyle 50 but the selected pages only. paper. If you want to quickly view the content of pages found on the following pages of the manual, you can use them. Servicing is required when the apparatus before using this product. Do not install external antennas Antenna lead in wire near over Jewel Cube speakers FolNote Do not place the speaker on its side, as this diminishes performance by blocking the Jewel Cube ports. 1. Place the center speaker directly above or below the center of tNote The female RCA connector on the audio input caUse 115V for North America; 230V for Europe and Australia. In Europe, use the adapter plug provided. If you are in doubt, contact your Your home theater might also include other types of equipment such as cable TV, laserdisc players, CDI players, additional VCRs, and a satellite decoder. Note A second option is to use a stereo TV as the switching center to select the sound source.

<http://iacfhouston.com/images/car-manual-suzuki-vitara.pdf>

In each example, the analog outputs from the DVD player or other digital device are connected to the AUX inputs. You may need extra long audio cables or exDo not connect it to the Lifestyle 50 system. Note There is no video signal input usually a yellow coded jack on the multiroom inter face. The VIDEO INPUT jacks are for audio from a video source. Connecting other externalUntie and straighten the bundled wires on each antenna. Antennas provide better reception when their wires are fully extended. Coaxial 75 AM antenna Figure 15 FM antenna jack jack The antenna connections FM antenna connections Figure 16 1. Plug the FM antenna connector into the FM ANTENNA jack on the back of the interface. The FM dipole antenna Note Your speakers will not operate unless you complete all cable and power connections before turning on the system. CAUTION Be sure the three shipping screws on the bottom of the CD changer have been removed before turning on the system. The display is backlit for easy viewing, and provides visual feedback of current system operations and available options. To allow for maximum battery life, the display and backlight turn o. laundrytub. in a wet basement. near a swtmming pool. orWider than the other. Do not changeImportant Safety Instruct onsNo 70 provides information with respect to properRefer to the antennaLine Sum —To prevent damage to this productA. the power supply cord or the plug has beenB. objects have fallen or lidwd has spilled into theO. the product has been exposed to rain or water, or. B. the product does not appear to operate normally orE. the product has been dropped or the cabinetAfter any service orBe sure that any replacement pans used have the sameAntenna grounding. Example of antenna grounding as per National Electrical. Lead In Wrrre. Antenna. Discharge Um! WEC smmn m an. Gluundlnn. CnnductursElectric. Servrce. EuleEnlElectrode SystemNote to CATV system installer. This reminder ls provided Io call the CATV system installersThe Mountm.

<http://churchoftheresurrectionacc.com/images/car-manual-transmission-explained.pdf>

remitgnaw motowr ss USA. Information about productsthatPart 15 oi the FCC Rules These llmls are designed to provtdeInstallation ll this equipment does cause harmlul interferenceOwner's GuideHvaluation Owner's GUiideThe lightning ilash With arrowhead symbol, within an equilateral triangle, is intended to alertThe exclamation point within an equilateral triangle, as marked on the system, is intended toA CAUTION To prevent electric shock, match Wide blade of plug to Wide slot. Class 1 laser product. This compact disc player is classified as a CLASS 1 LASER product. The. CLASS 1 LASER PRODUCT label is located on the bariumClass B emissions limits. This Class B digital apparatus meets all requirements of the Canadian InterferenceCausing. Equipment

Regulations. Batteries. Please dispose of used batteries properly, following any local regulations. Do not incinerate. Additional safety information. See the additional instructions on the Important Safety information page enclosed with this Please read this owner's guide. Please take the time to follow this owners guide carefully. It will help you set up and operate Save your owners guide for Lifestyle 50 system. Where to find. Setting Up. Before you begin. Unpacking the carton. Connecting your system. Connecting your home theater components to the Lifestyle system. Other connections. Connecting the antennas. Connecting power to your system. Setting up the personal music center. Operating Your Lifestyle' 50 System. The personal music center display. Listening to the radio. Listening to compact discs. Listening to home theater sound. Using the system with external components. Operating a Multiroom System. Connecting additional rooms. Operating more than one room. Cleaning the Lifestyle 50 system. Replacing batteries. Using the personal music center "f d me" feature. Troubleshooting. Warranty period. Customer service. Product Intonation. Technical information. Accessories Bose" Corporation. For your records.

Serial numbers are located on the bottom panels of the personal music center, multiroom Personal music center serial number. Multiroom interlaoe serial number. CD changer serial number. Acoustirnass module serial number. Dealer name. We suggest you keep your sales slip and warranty card together with this owners guide. LilestyleSOsysreni 3. Thank you for purchasing the Bose Lifestyle" 50 system. Years of research bring you this Technological innovations that make the Lilestyle 50 system unique The personal music center is a clear departure from convention it has no cables. Since the Bose Jewel Cube speakers are also far from the conventional. Proprietary Bose technologies The other elements of the Lifestyle 50 system are designed to be hidden from view DVD, digital TV. nextgeneration cable boxes and satellite receivers. For all analog formats. as Your Lilestyle 50 system Is. DVD, digital TV, and digital cable boxes and satellite receivers. VCRs. stereo TVs, cable boxes and satellite receivers. Videostage decoding directs stereo information to the surround channels, so the sound of Videostage decoding delivers live greatsounding channels, even when the original These, and numerous other innovations, bring you the Lilestyle 50 system, offering superb Please take the time to follow this ownefs guide carefully. It will help you set up and operate. Save your owner's guide for Dolby Laboratories Licensing Corporation. Lilestyle so system. Unpacking the carton What comes with your. Lifestyle" 50 system Carelully unpack your system. Save all packing materials for possible future use. The Note Find the serial numbers on the bottom panels of the personal musrc center, multi Then wrtte them on your warranty WARNING The Acausllmass module weighs 33 pounds 15 kg. Use good liltng. WARNING To avoid danger of suffocation, keep the plastic bags out 0! the reach of Personal musc oentor. Rubber feel 4. Aouoslirnass module. Rubber leet a" Figure 24. Selecting a station to store. Figure 25.

www.alfainstal.pl/wp-content/plugins/formcraft/file-upload/server/content/files/1626e4cd5bd490---4-speed-manual-transmission-chevy.pdf

Alter storing a station as You can use the PRESETS MENU to set presets. PRESETS Is only available in the MENU list Press the MENU button until PRESETS is displayed. It a number is ashing in the PRESEI display indicating that this station has not been preset, Or, select a different station Select the statlon you went to preset. Then Using the PRESEIS MENU allows you to do additional preset management, making it easier Any station can be assigned to more than one preset number. Or, you can reserve different number groups for different types of stations. For easy refer Erasing a preset station. To erase a preset station. Select the frequency or preset number In addition. to erase a preset statlon In locations 1 through 9, you can use quickstore from Note When all 25 FM or 25 AM preset locations are filled, and you hold down the area Operating Your. Figure 26. Loading and ejecting a CD. Figure 27. Loading and unloading the CD Using the CD changer. You can load up to six compact discs at a time. Loading discs into the CD magazine. Hold the magazine, looking at the side with the arrow. Insert up to six discs, label side up Note the slot numbers 1 through 6, CAUTION Do not insert

more than one also into any slot Forcing two discs into one slot CD changer. Note If a disc is upsidewards, it does not play The display shows the disc number. Ejecting discs from the CD magazine. Press the white lever that corresponds to the disc you want to eject. This ejects the disc far Loading the CD magazine into the CD changer. Open the CD changer door. Insert the CD magazine fully into the CD changer, following the Ejecting the CD magazine from the CD changer. Press the EJECT button, at the lower left of the magazine slot, to remove the magazine Eject button. Lifestyle 50 System 25. Operating Your Lifestyle. Figure 28. The CD display Turning the system on and choosing the CD player. Press the CD button to turn the system on and select the CD player. CD appears in the source display area.

If a CD The CD display provides information In three main areas, each with left and right arrow Pause a CD PAUSE II and II shows. Pause changes to stop after 10 minutes. Unpause a CD PAUSE II, PLAY b, STOP I, CD, or OFF. Stop a CD STOP I. After pressing STOP I, the display briefly shows the total time. Go to next track TRACK display right arrow button. Skipping to the next track wraps from the last track back to the rest of the current disc. You can skip tracks while paused. Go to beginning of current track TRACK display left arrow button. Go to previous track TRACK display left arrow button twice. In RANDOM mode, skips to previous track played. Skipping back from the rest track Play another disc DISC display left or right arrow button. In PLAY mode, selects the next or previous disc; in RANDOM mode, randomly selects Scanning up or down stops at the ends at the disc. You can scan a CD while paused. Note To prevent excessive wear on the CD mechanism, unattended CD play or random To leave music playing unattended for longer The personal music center display provides the following information about the CD changer Lifestyle 50 system. To prevent a track from playing, press the OMIT TRACK button. The track is skipped and is Including omitted tracks. Omitted tracks are indicated by OMITTED next to the right TRACK arrow. OMITTED I c INCLUDED. Display showing an omitted Track 8 is Use to cancel. OMITTED OMUTED Display showing omitted track I D Omit track 8 Limryis 50 system 27. Using the CD OPTIONS MENU. Press the MENU button until CD OPTIONS is displayed. CD options screen while CD is up, EH 8 Wms a "a CD programming repeat options. Random and Repeat modes. Repeat modes allow you to play CDs for 24 hours or until you select STOP I or OFE Press. DONE to accept your settings. By selecting CD LIST rest the following random and repeat options play your programmed. CD list the same way they play a disc J" Note.

If you select random and repeat modes that cannot be combined REPEAT TRACK Opera ng Your Lifestyle" 50 System. CD Programming You can edit a CD In the CD OPTIONS MENU Figure 31, press EDIT CD LIST to begin creating your CD play. iisl. Flynn 32. Beginning CD programming Ready for rest To add The track and disc numbers Figure 33. CLEAR and CLEAR LIST age Repeat selecting disc and track numbers The display offers dashes for the track L flesryfe SO system 29. Opera 9 Your Lifestyle 50 System. Figure 34. Ready to play CD LIST The item number begins ashing PLAY list play. Press the CD LIST button to play your CD list. CD, it is skipped while the list plays. To erase the entire list, press the CLEAR LIST button in the CD OPTIONS MENU, and conrm Lifestyle 50 system. Listening to home theater sound Built In Dolby Digital AC3 decoding delivers Dialogue remains locked on screen. Listening to digital sound. Turning the digital audio source on. Turn on the DVD player, digital TV. Be sure to load the DVD disc Turning the system on and choosing digital sound. Press AUX on the personal music center to turn your system on to play digital sound. Selecting listening material. To select material with compatible digital audio streams, look for the terms PCM or Dolby. Digital, or the symbols ml or. on DVD Video discs. Your Lifestyle" 50 system cannot. To select surround encoded analog or digital audio material, look for the terms Surround or. Ing a TV broadcast. You can listen to any program material in SURROUND 5 speaker mode, although you may Some monaural and stereo materials will Even with surround encoded Operating Your Lifestyle 50 System. Speaker Dp lions and center and Figure 35. VIDEO 1 with FILM BASS Press the MENU button until SPEAKERS is displayed. The SPEAKERS MENU allows you to Select lny number a! speaker Adjusting center and surround levels. The center and surround adjustments are remembered

for the room in which they were used. The levels are factory preset at zero.

Use the arrow buttons to adjust the levels. Using film bass for movie soundtracks. While using AUX, VIDEO 1, VIDEO 2, and TAPE, you can select film bass, an enhanced bass. Press FILM BASS to turn it on. You can turn it on for Operating Your Lifestyle™ 50 System. Figure 37. The RECORD OUT MENU. Follow the instructions on page 15 for connecting components. Turn on your component directly or by using its remote control. Use VOLUME A or V on your Note The Lifestyle 50 system cannot turn a connected component on or off. Turning the system on and selecting the component. Press VIDEO 1, VIDEO 2, AUX, or TAPE on your personal music center to select the desired. The appropriate display indicator appears when the system is on and the component is using a tape recorder with your system. To record on a connected tape deck, use the MENU button to select RECORD OUT. You can listen to that source while recording. The selected source is displayed in place of the dashes. The dashes reappear when selected for. RECORD OUT, the CD player shuts off after 24 hours. RECORD OUT is shown on the display when a source to which you are listening is also selected. Note If you do not use the RECORD OUT option from the MENU, the source playing is. In a multiroom system, the source in the lowest control position is selected. When you are ready, set the tape deck to record. Use the tape deck controls. Figure 38. Bass and treble controls. If desired, you can further fine-tune your system as described here. Adjusting speaker controls. The Lifestyle 50 system TREBLE and BASS controls are located on the Acoustimass module. You can also locate the normal setting by feeling when the control settles into the notch at the top. Compensating for room acoustics. The acoustics sound qualities of your room can affect the overall sound quality of any system.

Rooms with too few sound-absorbing furnishings, especially those with bare floors and walls, Rooms with a lot of sound-absorbing furnishings, such as upholstered furniture, wall-to-wall carpeting, and heavy drapes. You can increase treble sound by slightly. Too much or too little bass. You can decrease bass sound by turning down the bass control toward —. To increase bass. Acoustimass module placement affects the amount of bass you hear. Placing the module in the corner of the room. Moving the module away from the corner. Compensating for movie soundtracks. When a movie soundtrack is played in a motion picture theater, its bass is restored to the full level. To perform the same way in your home, your AUX, or TAPE modes, use the FILM BASS button to select between standard and film bass. Operating Your Lifestyle 50 System. Adjusting signal levels. This setting allows you to adjust and equalize the signal level of sources that are not built-in. Press the MENU button until SIGNAL LEVELS is displayed. You can watch it on the display. After listening to the source, you can adjust the contrast on the touchscreen. Hold down the SOURCE button for a few seconds. Press the lower arrows to select the contrast level. Figure 40. LCD contrast adjustment. Adjusting the personal music center beep. You can adjust the sound made by the touchscreen to acknowledge a button press. Hold down the SOURCE button for a few seconds. Use the arrow buttons to select between Lo, HI, Figure 41. Beep adjustment display. Connecting additional rooms. Follow the placement guidelines for the Bose powered speakers that you plan to connect. Then review your plan for how to connect these speakers to the multiroom interface in your system. A CAUTION Make sure all components are unplugged from the power outlet before you connect the audio input cable from your additional powered speakers to the selected ROOM 8, C, or D on the back of the Interface. Note Be sure that each connector is inserted completely into each jack. Room A, B, C, and D jacks. Note.

If you connect Bose powered home theater speakers, the system automatically offers the FILM BASS button to turn it on or off. FILM BASS is on when you select VIDEO 1 or 2 or AUX. Since SPEAKER options and FILM BASS do not apply for stereo use, these controls are not available. Operating a Lifestyle 50 System. Your Lifestyle 50 system is able to control up to four rooms of speakers. These rooms are Room A, B, C, and D. When you have two or more rooms connected, you can play the same or

different sources in Shared source When two or more rooms are listening to the same source, they are sharing Linked rooms When two or more rooms are linked, they function as if they were one room. if Keep In mind that there are limits to using different sources In different rooms. With one tuner, Similarly, with one CD player, the Using the ROOM button. Use the ROOM button to select one or more rooms to control. The display Use the following examples of four room systems to understand the sequence of ROOM Example 1 Room A FM on, Rooms 5 and c CD on, Room B off. Button press Display shows. Starting ill Example Z Rooms A and c FM on, Humt Band D c Don. Starting CL lifestyle so system 37. Operating a Multi Room Lifestyle 50 System. Using the HOUSE button. Use the HOUSE button to control all connected rooms together. Press HOUSE to see empty Eigun 43. Pressing the HOUSE button with Figure 44. Pressing the HOUSE button and. FM in four room system. J" More Press the HOUSE button before each different command to apply that command to all The only MENU items available while in HOUSE mode are CLEAN SCREEN and CD 0. TIONS CD programming. Pressing HOUSE and a source turns all rooms on in this source. The display ll the empty Pressing HOUSE and VOLUME changes the volume oi all rooms that are on. When you The system adjusts the Pressing HOUSE and MUTE mutes all rooms that were on. Any rooms that were The individual rooms Pressing HOUSE and SLEEP applies the SLEEP mode to all rooms that were on.

Pressing HOUSE displays empty boxes for all connected rooms. Pressing SLEEP shows all The SLEEP time selected applies to all the rooms that were on even if they were playing You can accept this time or Change It for all the rooms. SLEEP, CLEAR, and DONE. Note You can set different sleep times for individual rooms by using the ROOM button to Regardless of how many rooms are on. Canceling HOUSE mode. If you do not press any additional buttons after pressing HOUSE, pressing HOUSE again Unlinking room. After you have linked the rooms using the HOUSE button or by selecting the group of rooms This room is now removed from the linked group. Using more than one personal music center. To operate a multimom system, you may want to add personal music centers In the addi To add a new personal music center to your system, follow the setup instructions on page 17. Be sure to install the batteries and turn it on for the rst time within three feet of the multl—Lifestyle Sa system 39. Cleaning the Lifestyle 50 system. Figure 45. Entering the CLEAN SCREEN Figure 45. Handling %. Figure 47. Cleaning a CD For information on replacing the personal music center batteries see page 17. Cleaning the touchscreen Press the MENU button until CLEAN SCREEN is displayed. Press the DISABLE KEYS button Press DONE to exit from CLEAN SCREEN or press. MENU to select another menu item. You can use an ammonia free window cleaner on a soft cloth to wipe the screen. Handling CDs. Handle discs by their edges to prevent ngerprints and scratmes Figure 46. To remove stains or ngerprints from the surface of a disc. use a soft. lint free, dry cloth. Wipe Do not use any Do not write on, or attach labels to the surface of the disc. To minimize exposure to dust and dirt, replace discs in their cases after use. Store each disc Cleaning the CD changer. Use only a soft cloth to clean the outside of the CD changer.

<http://www.drupalitalia.org/node/78606>