Cp-3007 ultrasonic distance measurer manual



File Name: Cp-3007 ultrasonic distance measurer

manual.pdf **Size:** 4839 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 16 May 2019, 12:14 PM **Rating:** 4.6/5 from 735 votes.

Download Now!

Please check the box below to proceed.

reCAPTCHA Privacy - Terms

Book Descriptions:

Cp-3007 ultrasonic distance measurer manual



Discover everything Scribd has to offer, including books and audiobooks from major publishers. Start Free Trial Cancel anytime. Report this Document Download Now Save Save CP 3007 Ultrasonic Distance Measurer User Manual For Later 0 ratings 0% found this document useful 0 votes 139 views 4 pages CP 3007 Ultrasonic Distance Measurer User Manual Uploaded by mateusbahia26173 Description manual em ingles Full description Save Save CP 3007 Ultrasonic Distance Measurer User Manual For Later 0% 0% found this document useful, Mark this document as useful 0% 0% found this document not useful, Mark this document as not useful Embed Share Print Download Now Jump to Page You are on page 1 of 4 Search inside document Browse Books Site Directory Site Language English Change Language English Change Language. For the best performance and life, we recommend alkaline battery. Follow these steps to install a battery. 1. Slide the battery compartment cover in the direction of the arrow to remove it. 2. Snap the battery in the compartment. Caution If you do not plan to use the measurer for a month or more, remove the battery, Batteries can leak 1 2 chemicals that can destroy electronic parts. STABILIZING THE MEASURER Your measurer is sensitive to changes in temperature and humidity. After power on, the unit display current Environment temperature. The measurer turns itself off if no key is pressed within about 30 seconds. TAKING A MEASUREMENT 1. Press MEASURE to turn on the unit. The measurer beeps then the distance between the measurer and the point you measured appears. 2 3 2. Hold the bottom of measure flat against a wall, about halfway between the floor and ceiling. Causing measurements to be inaccurate. If you are 3 4 measuring distances in a room with curtains. Also, be sure that the window is closed. If there is not clear path between the points where you are measuring. If you are not sure if a measurement is correct, move slightly to one side then measure the distance again.http://anankidsacademy.com/userfiles/flat-screen-tv-manuals.xml

 cp-3007 ultrasonic distance measurer manual, cp-3007 ultrasonic distance measurer manual portugues, cp 3007 ultrasonic distance measurer owners manual, cp 3007 ultrasonic distance measurer owners manual portugues, 1.0, cp-3007 ultrasonic distance measurer manual, cp-3007 ultrasonic distance measurer manual portugues, cp 3007 ultrasonic distance measurer owners manual, cp 3007 ultrasonic distance measurer owners manual portugues.



If the surface of a wall you are measuring is not sold and flat, or if you are measuring in a narrow corridor. You might receive a false reading if this happens, use a sold surface to measure or move to the center of the corridor. To measure a distance longer than 60 feet meters Select a point in the middle of the room for example measure from the center of the room toward each side. The measurement stored in that memory location appears. 5. To delete a measurement stored in a memory location, simply store a new one in its place. 6. To clear all stored measurements, hold down ALL MEMORY CLEAR for about 3 seconds, the 5 6 measurer beeps and M and the number of the memory location you chose 1,2 or 3 disappears. Note Data of AREA or VOLUME can not be saved. CALCULATING VOLUME To find the volume of a room, Measure the height. Width and the length of the room and store each measurement in a different memory location see Saving a Measurement. Then press VOLUME, The volume calculation result appear. CALCULATION AREA Follow these steps to find the area of any two stored measurements 1. Measure the width and length of a room and store the measurements in M1 and M2 see Saving a Measurement . Press AREA, M1 and M2, the area calculation appear. The value of the calculation appears. 4. To clear the display and do another measurement, press ALL MEMORY CLEAR. USING LASER To have a laser pointer, press LASER. Specifications are subject to change and improvement without notice. Caution The laser emitted from the unit is visible laser of 650nm wavelength Don t stare into the laser beam and also don t shoot laser beam to any other s

eyes.http://plan9films.com/eblast_uploads/flathead-manual-transmission.xml



Class II laser product Output This thermometer makes noncontact infrared temperature Operation Manual These fullfeatured, fieldproven, The Model 42515 IR thermometer This Infrared thermometer measures and displays noncontact Important safety This Infrared thermometer measures and displays noncontact This Infrared thermometer measures and displays noncontact This Infrared thermometer The 42540A is capable of Fully 60% of consumer returns All rights reserved. CLASS 1 VS. CLASS 2 BAR CODE LASER SCANNERS A technology brief on bar code laser scanners By Jack Brandon Product Marketing Manager, Scanner Products The operation of this product is simple and straightforward and For complete warranty details and a list of our worldwide offices, please Laser Operation. Hanging Hole. LCD Display Battery Cover. Function Keys. Detachable Stand Please read this user's guide before installing, setting up, and using your new weather The setup is shown Use at least Operating Manual. surface. Emitting direction of rotary laserbeam illustrated as follows Failure to follow the safety rules and other basic safety precautions Model MO257 The pinless moisture sensor monitors the moisture in wood and other The Green Dot is designed as the primary targeting The Model GRT300 has been designed and tested according Use only specified peripheral equipment and interface cables or you may experience problems. When Designed specifically for aligning and positioning Making Your Mobile Life Easier. Making Your Mobile Life Easier. Visit our Web site at www.targus.com Features and specifications are subject to change without notice. 2003 Targus Corp. 4000110001B It can receive This Clamp on device allows the user to measure ground Model RH390.

F C WBT Dew Point MAX MIN This device measures Humidity, Air Temperature, Model 407730 The 0770 measures and displays sound pressure levels in db Danfoss heating Failure to follow the safety rules and other basic safety precautions may To use this website, you must agree to our Privacy Policy, including cookie policy. Please choose a different delivery location. Our payment security system encrypts your information during transmission. We don't share your credit card details with thirdparty sellers, and we don't sell your information to others. Please try again. Please try again. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account Please try your search again later. To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. Were committed to dealing with such abuse according to the laws in your country of residence. When you submit a report, well investigate it and take the appropriate action. Well get back to you only if we require additional details or have more information to share. Note that email addresses and full names are


not considered private information. Please mention this; Therefore, avoid filling in personal details. The manual is 0,53 mb in size. If you have not received an email, then probably have entered the wrong email address or your mailbox is too full. In addition, it may be that your ISP may have a maximum size for emails to receive. Check your email Please enter your email address. Post your question here in this forum. Were committed to dealing with such abuse according to the laws in your country of residence.



http://ninethreefox.com/?q=node/14613

When you submit a report, well investigate it and take the appropriate action. Well get back to you only if we require additional details or have more information to share. Note that email addresses and full names are not considered private information. Please mention this; Therefore, avoid filling in personal details. Please enter your email address. View details Features Package Includes 1 x Ultrasonic Diastimeter 1 x English Manual Note For more accurate measurement, we highly recommand you to hold diastimeter horizontally or vertically; Measurement Distance is coming from Laser Point to the BOTTOM of diastimeter. Details Pictures Total delivery time is broken down into processing time and shipping time. This includes preparing your items, performing quality checks, and packing for shipment. Please ensure you follow all the instructions contained in the message. Bulk prices will be shown in the shopping cart. Could you spare us a few minutes for some feedbackThe badge appearance upgrades as the user helps more people. You can unsubscribe at any time on the privacy settings page. You have also earned a badge. Get your coupon! Suggestions Do not place orders with nonCOD products, otherwise you will not be able to choose COD payment method. Once dispatched from warehouse, Shipping or Delivery Time depends on the Shipping Method.Our shop sales of ultrasonic range finder provided by the manufacturer is currently on the international performance better products, and relatively stand high market share in Europe and the United States. Main Features Infrared principle, accurate measurement of the distance, the laser spot to help targeting. Appraiser assistant, surveying caves, measure the ceiling height, Building Surveying, theater sets, the measurement of housing size, measurement depth, tolerance measurement, volume measurement, public facilities, measurement, level measurement. It also tells the temperature.

https://mikrotikperu.com/images/95-4runner-manual-transmission-fluid.pdf



Suggestion 9 volt battery has to purchase and its not included in the device. Feb 07,2017 orlick YesFor small quantity orders, the processing time is 13days while larger quantity orders may require 25days. USA Warehouse Generally, 37 days to a USA address. ES Warehouse Generally, 25 days to the Spain, 37 days to the Portugal. Shipping from warehouse nearest to shipping address is faster. Additional charges may apply. Note This is a general guide and delays maybe caused force majeure, natural disasters, inclement weather, war, public holidays, and factors outside our control. Please choose the shipping methods for the final price. Payment Gearbest.com accepts PayPal,Credit Cards, Wire Transfer, Westem Union, Yandex Money, Webmoney, Boleto, OXXO and BKM as secure payment methods. 1 Paypal Please submit your wholesale CP3007 inquiry below. Please note we usually don't offer free shipping on wholesale CP3007 orders, but the wholesale price will be a big bargain. Your Target Price Order Quantity Country Your Name Your Tel Your Email Company Name Detailed Inquiry Information Your Recently Viewed Items See personalized recommendations New customer. Start here Sign In Gearbest is the right place, we run weekly promotions, like flash sale or vip member bargain offer in which you can grab cheap CP3007 at discount prices. Just log into your Gearbest free member account, you will see the CP3007 promo code and coupons in your coupon center. Subscribe to Gearbest! I can withdraw my consent at any time. Such data has it. 5. If you want to store the new data, it would direct the original data deleted. 6. If you want to delete ALL the data of words, then click "ALL MEMORY CLEAR" hold 3 seconds, and then ALL of the data and M1 and M2, such as M3 will temporarily disappeared. Learn more at privacy policy. It is a perfect tool to quickly know the distance. Area and volume of a room. It can measure distances in a straightline from 1.5 feet o 60 feet.

http://mimamastortillas.com/images/95-4runner-manual-swap.pdf



Your distance measurer transmits ultrasonic waves to a point you want to measure. Afterwards, it measures the time taken by the waves to reflect and then calculates and retranscribes the distance. LCD with Backlight. Product Properties. Brandno. Model Number CP3007. Frequency 40kHz ultrasonic pickup. Measure Distance From 1.5 Feet to 60 Feet. About 0.5 to 18 meters. Dimensions about 155 x 75 x 45 mm Specifications. Laser output power less than 1mw. Power supply 1 x 9v Alkaline Battery battery not included. Measure Distance From 1.5 Feet to 60 Feet. About 0.5 to 18 meters. Area, volume, addition, subtraction calculation. Working temperature 32 F to 109.4 F 0 C to 43 CYour distance measurer transmits ultrasonic waves to a point you want to measure. It measures the time taken by the waves to reflect and then calculates and retranscribes the distance. Caution Do not stare into the laser beam and also do not shoot laser beam to eyes. The Laser emitted from the unit is visible laser of 650mm wavelength. You have 2 weeks to request refund — up to 84 days. Product doesnt match the description. Contact us within 30 days after you receive it. In case of cancellation, money will be refunded to your account within 14 days. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Delivery times may vary, especially during peak periods and will depend on when your payment clears opens in a new window or tab.

Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab See the sellers listing for full details. Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postcode. Please enter a number less than or equal to 3. Youre covered by the eBay Money Back Guarantee if you receive an item that is not as described in the listing. Find out more about your rights as a buyer opens in a new window or tab and exceptions opens in a new window or tab. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Laser Distance Meter 80 meter Vs Meteran Manual 50 meter. Laser distance 4862 735545, 4862. Free Shipping On Laser Distance Meters, Shop Now.Reload to refresh your session. Reload to refresh your session. It can measure distances in a straightline from 1.5 feet o 60 feet. Your distance measurer transmits ultrasonic waves to a point you want to measure. The Laser emitted from the unit is visible laser of 650mm wavelength. Packing Content 1 x Ultrasonic Distance Measurer 1 x English Manual. Live better. Shop grocery Store finder Store finder Flyers for Walmart Flyers Sign in My account More ways to save Rollback Enjoy savings on 1000s of items. Clearance We clear out. You save big. Deals of the

Week Hot deals from our select seller partners. Weekly flyer features Low prices on your everyday essentials. Walmart Pickup Order online. You can unsubscribe at anytime. Subscribe Personal information provided may be collected, used and disclosed in accordance with our Privacy Policy Connect with Us Connect with us on your favourite social networks. We'll let you know what we're up to, and you can tell us how we're doing. Enjoy APPExclusive Deals. You must select at least 1 quantity for this product.

https://www.acptechnologies.com/wp-content/plugins/formcraft/file-upload/server/content/files/1628 6542abfcb5---C32-amg-workshop-manual.pdf

Your permission will be confirmed if you continue using this website. Read more. Due to the different display and different light, the picture may not show the actual color of the item. Thanks for your understanding. For the best performance and life, we recommend alkaline battery. As indicated by the polarity symbols and marked inside. Content on this site is for reference purposes, and we recommend that you contact the seller for additional information on the product.Our customer service officers are available to answer your questions from 9AM to 6PM, Mondays to Fridays. Please email us if youre running the latest version of your browser and you still see this message. The actual Open Box product may differ in packaging and included accessories, but has been tested to ensure basic functionality. This professional unit also features water proof construction, a temperature display and can easily add and subtract your measurements. Package Content1 x Ultrasonic Distance Measurer1 x English ManualNote the battery is not included!This professional unit also features water proof construction, a temperature display and can easily add and subtract your measurements. Package Content 1 x Ultrasonic Distance Measurer 1 x English Manual Note the battery is not included! This professional unit also features water proof construction, a temperature display and can easily add and subtract your measurements. Package Content1 x Ultrasonic Distance Measurer1 x English ManualNote the battery is not included. It can measure distances in a straightline from 1.5 Feet to 60 Feet.The Utrasonic Distance Measurer comes equiped with a Laser Pointer and can calculate the area or volume of any space, making it perfect for home handymen and professional builders alike. This professional unit also features water proof construction, a temperature display and can easily add and subtract your measurements.Package Content1 x Ultrasonic Distance Measurer1 x English ManualNote the battery is not included.

accofire.com/ckfinder/userfiles/files/7sj63-technical-manual.pdf

Click here for more details. Secure shopping made faster. Check out with PayPal. Some manufacturers place restrictions on how details of their products may be communicated. Some manufacturers place restrictions on how details of their products may be communicated. Some manufacturers place restrictions on how details of their products may be communicated. Some manufacturers place restrictions on how details of their products may be communicated. Can access to further area which traditional one is not capable. They can differ from the actual product without altering its specifications in any way. By using this site, you agree to our terms and conditions. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn more See the sellers listing for full details. Find out more about your rights as a buyer opens in a new window or tab and exceptions opens in a new window or tab. Contact the seller opens in a new window or tab and request post to your location. Please enter a valid postcode.

Please enter a number less than or equal to 3. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Something went wrong. View cart for details. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign.

http://www.raumboerse-luzern.ch/mieten/boss-gt-10-manual